

	TECHNICAL DATA	WNW-27
	<h1>WIPE NEW[®]</h1> <h2>GRAPHENE CERAMIC COATING</h2>	

DESCRIPTION AND USES

Wipe New[®] Graphene Infused Ceramic delivers incredible gloss enhancing properties and extended durability to most exterior surfaces including paint, chrome, trim and wheels. This easy to use coating is extremely hydrophobic and will help keep your car clean in all weather conditions.

PRODUCT FEATURES

- Dramatically enhances reflectivity and depth of shine
- Extremely hydrophobic – resists water spotting
- Forms a protective barrier that resists stains from bugs, bird droppings and tree sap
- Can be used on all exterior painted surfaces, wheels, chrome and trim

PRODUCT

DESCRIPTION	SKU
22 oz. Bottle	372204

PRODUCT APPLICATION

DIRECTIONS
(Read entire directions and warnings prior to use.)

Wash and thoroughly dry vehicle. Be sure vehicle surface is cool to the touch. Do not apply in direct sunlight. Shake well before use. Spray Wipe New Graphene Infused Ceramic Coating directly onto microfiber applicator or folded microfiber towel. Apply to vehicle surface one panel at a time using a crisscross pattern, ensuring even coverage on surface. After application, remove with a clean, microfiber towel. For more intense shine and depth of color, allow 1-2 minutes for product to bond to the surface and then remove with a clean microfiber towel.

Note: Do not leave product on surface for more than 10 minutes. Do not use on glass. Allow 24 hours for product to fully cure before applying additional coats. For best results, apply between 60-90°F.

KEEP OUT OF REACH OF CHILDREN.

PHYSICAL PROPERTIES

		GRAPHENE CERAMIC COATING
Resin Type		Silicone resin
Pigment Type		NA
Solvents		Oxsol, Silicone solvent, Mineral spirits
Volatile Organic Compounds		15% by weight
Dry Times at 77°F (25°C) and 50% Relative Humidity	Touch	10 minutes
	Handle	10 minutes
	Recoat	After 24 hours
	Full Cure	24 hours
Shelf Life		2 years
Flash Point		109°F
Safety Information		For additional information, see SDS

The technical data and suggestions for use contained herein are correct to the best of our knowledge, and offered in good faith. The statements of this literature do not constitute a warranty, express, or implied, as to the performance of these products. As conditions and use of our materials are beyond our control, we can guarantee these products only to conform to our standards of quality, and our liability, if any, will be limited to replacement of defective materials. All technical information is subject to change without notice.